

GENERAL SPECIFICATIONS OF WOODTURNING LATHES
 BY WALTER JONES E-MAIL walterjones60@gmail.com

	A	B	C	D	E	F	G	H	I	J
1	LATHE	THREAD SIZE	MORSE TAPER	TOOL POST SIZE	DIA OVER BED	DISTANCE BETWEEN	SPEED RANGE	HORSE POWER	WEIGHT	VOLTAGE
2			HEAD STOCK TAIL STOCK			CENTERS	SLOWEST-FATEST			
3										
4	DELTA									
5	46-455	1X8	MT2 MT2	5/8 INCH	12.5	20	240-4000	.75 HP	100	110
6	46-460	1X8	MT2 MT2	5/8 INCH	12.5	20	240-4000	1.0 HP	100	110
7	46-745	1 1/4 X 8	MT2 MT2	1 INCH	16 INCH	42	0-3200	1.5 HP	354	110
8	46-746	1 1/4 X 8	MT2 MT2	1 INCH	16 INCH	42	0-3200	2 HP	354	220
9	46-715	1 X 8	MT2 MT2	1 INCH	14	40	600-2200	3/4 HP	300	110
10	46-700	1X8	MT2 MT2	1 INCH	12	36	500-2000	3/4 HP	150	110
11	LA 200	1 X 8	MT2 MT2	5/8 INCH	10	16	500-3700	1/2 HP	85	110
12	DELTA ROCKWELL									
13	46-525	1 X 8	MT2 MT2	1 INCH	12	36	340-3200cv	3/4 HP	225	110
14										
15	EBO INC									
16	25-84	1 1/4 X 8	MT2 MT2		25	84				110
17	25-84	1 1/2 X 8	MT2 OR 3 MT2 OR 3		25	84				
18	40-15	1 1/4 X 8	MT2 MT2		40	15	107-2600			
19	40-15	1 1/2 X 8	MT2 OR 3 MT2 OR 3		40	15	107-2600			
20										
21	GENERAL									
22	160-1	1 X 8	MT2 M T2	1	12	38	850-3500	1	283	110
23	160-2	1 X 8	MT2 M T2	1	18	38	500-3000	1	339	110
24	260-1	1 1/4 X 8	MT2 M T2	1	12	38	600/2800 OR 375/3300	1	524-564	110
25	260-2	1 1/4 X 8	MT2 M T2	1	20	38	600/2800 OR 375/3300	2	542/584	220
26	26020	1 1/4 X 8	MT2 M T2	1	12	38	0-3000	2	544	220
27	VD M2									
28	260 VD MD	1 1/4 X 8	MT2 M T2	1	20	38	0-3000	2	562	220
29										
30	GENERAL INT'L									
31	25-100	1 X 8	MT2 MT2	5/8 INCH	10	15	480-4023	1/2 HP	106	110
32	25-600	1 1/4 X 8	MT2 MT2	1	16	43	450-3000	1.5	367	110
33	25-650	1 1/4 X 8	MT2 MT2	1	16	43	0-3750	1.5	380	110
34										
35	GRIZZLY									
36	G9247				6	12	300-4750	1/4 HP	46	110
37	G8690		MT1 MT1		6 1/4	20	0-3025	1/3HP	40	110
38	G0584	1 X 12	MT2 MT2		14.5	43	600-2400	3/4 HP	272	110
39	G0462	1 X 8	MT2 MT2		16	43	600-2400	2	304	110
40	G1067Z	1 X 12	MT2 MT2		14	40	510-2800	1/2 HP	197	110
41	G1495	1 X 12	MT2 MT2		14	40	500-3070	3/4 HP	281	110
42										
43	G0456	1 1/2 X 8	MT2 MT2		20	43	500-2000	2	633	LPOWER
44										

GENERAL SPECIFICATIONS OF WOODTURNING LATHES
 BY WALTER JONES E-MAIL walterjones60@gmail.com

	A	B	C	D	E	F	G	H	I	J
45	LATHE	THREAD SIZE	MORSE TAPER	TOOL POST SIZE	DIA OVER BED	TANCE BETWEEN	SPEED RANGE	HORSE POWER	WEIGHT	VOLTAGE
46			HEAD STOCK TAIL STOCK			CENTERS	SLOWEST-FASTEST			
47	38515-4VGA				14	40	1020-3010	1/2 HP	88	110
48	34706-5VGA	1 X 8	MT2 MT2		12	33 3/8	600-2400	3/4 HP	184	110
49	43366-1VGA	1 1/4 X 8	MT2 MT2		20 1/4	36	370-2700	1 HP		110
50										
51	HEGNER									
52	HDB 200 XL	M33 DIN 800	MT2 MT2	25 MM	800 MM	1000 MM	90-3800	1 HP	57 KG	
53										
54	JET									
55	1642	1 1/4 X 8	MT2 M2T	1 INCH	16	42	0-3200	2	410	220
56	1642	1 1/4 X 8	MT2 M2T	1	16	42	0-3200	1.1/5	410	110
57	1442	1 X 8	MT2 M2T	1	14	42	450-3000	1	390	110
58	1236	1 X 8	MT2 M2T	1	12	36	500-3000	3/4 HP	169	110
59	1220	1 X 8	MT2 M2T	5/8 INCH	12	20	500-3900	3/4 HP	99	110
60	1220 VS	1 X 8	MT2 M2T	5/8 INCH	12	20	270-4200	3/4 HP	99	110
61	1014 MINI	1 X 8	MT2 M2T	5/8 INCH	10	14	500-3975	1/2 HP	69	110
62										
63	LAGUNA									
64	MLAO230-175	1 1/4 X 8	MT2 MT2		16	43	600-2400	1 1/2 HP	303	110
65	MLA59 -0180		MT2 MT2		18	59		2 HP	550	
66		1 1/4 X 8	MT2 MT2		18	47	100-3200	2 HP	500	220
67	MTOCL1200		MT2 MT2					2 HP	800	
68										
69	ONEWAY									
70	2436	M33 X 3.5	MT2 MT3	1	24	36	70-3050	1.5/2/3 HP	850	220
71	2036	M33 X 3.5	MT2 MT3	1	20	36	70-3050	1.5/2/3	800	220
72	2416	M33 X 3.5	MT2 MT3	1	24	16	70-3050	1.5/2/3	650	220
73	2016	M33 X 3.5	MT2 MT3	1	20	16	70-3050	1.5/2	600	220
74	1640	M33 X 3.5	MT2 MT3	1	16	40	14-2585	1.5/2	600	110/220
75	1236SD SIT DOWN	1 X 8	MT2 MT2	1	12	36	0-2000/0-4000	1	500	110/220
76	1224	1 X 8	MT2 MT2	1	12	24	0-2000/0-4000	1	300	110/220
77	1018 DISCONTINUED	1 X 8	MT2 MT2	3.4"	10	18	0-4000	1	280	110
78										
79	POOLWOOD									
80	POLARIS DVSL	33 X 3.5	MT2 MT2	1	18	38	0-2800	1.5	130 KG	110
81										
82	POWER KING									
83		3/4 X 16	MT1 MT1					1/3HP	150	110
84										
84	POWERMATIC									
85	3520 A & B	1 1/4 X 8	MT2 MT2	1	20	35	A=0-3000 B= 0-3200	2	630	220
86	4224	1 1/4 X 8	MT2 MT2	1	24	42	0-3500	3	950	220
87										

GENERAL SPECIFICATIONS OF WOODTURNING LATHES
 BY WALTER JONES E-MAIL walterjones60@gmail.com

	A	B	C	D	E	F	G	H	I	J
88	LATHE	THREAD SIZE	MORSE TAPER	TOOL POST SIZE	DIA OVER BED	TANCE BETWEEN	SPEED RANGE	HORSE POWER	WEIGHT	VOLTAGE
89			HEAD STOCK TAIL STOCK			CENTERS	SLOWEST-FASTEST			
90										
91	PSI [branded]									
92	TCLPRO	1 X 8	MT2 MT2	5/8"	10	14?	500-3200	1/2 HP	78	110
93	TCLPLUS	3/4 X 16	MT1 MT1	5/8"	7.5	12.5	750-3200	1/4 HP	43	110
94										
95	RECORD									
96	DML36SH	3/4 X 16	MT1 MT1	3/4"	9	36	450-2000	3/4 HP	41 KG	110
97	DML24X	3/4 X 16	MT1 MT1	3/4"	6	24	450-2000	3/4 HP	40 KG	110
98	CL1-S4	3/4 X 16	MT1 MT1	3/4"	12	36	450-2000	3/4 HP	69 KG	110
99	CL4	3/4 X 16	MT1 MT1	3/4"	12	36	13-4600	1 HP	90KG	110
100										
101	RIGID	3/4 X 16	MT1 MT1	5/8"	15?	36				110
102										
103	RIKON									
104	1216	1 X 8	MT2 MT2	5/8"	12	16	300-3350	1/2 HP		110
105	70-200	1 X 8	MT2 MT2	5/8"	12	16		1/2 HP		110
106	70-100	1 X 8	MT2 MT2	5/8"	12	18	430-3900	1-2 HP	85	110
107	70-500	1 1/4 X 8	MT2 MT2	1	20	36	50-3890	2 HP	596	220
108	70-425	1 1/4 X 8	MT2 MT2	1	20	37	315-2930	1 1/2 HP		110/220
109	70-450	1 1/4 X 8	MT2 MT2	1	20	37	50-3850	1 1/2 HP		220
110	1216	1 X 8	MT2 MT2	5/8"	12	16	300-3350	1/2 HP		110
111										
112	ROBUST									
113	18X28	1 1/4 X 8	MT2 MT2/3	1 OR 1 1/4	18	28	100-2800	1.5-2 HP	548	110/220
114		33 X 3.5	MT2 MT2/3	1 OR 1 1/4	18	28	100-2800	1.5-2 HP	548	110/220
115	25X28	1 1/4 X 8	MT2 MT2/3	1 OR 1 1/4	25	28	100-2800	2-OR 3	628	220
116		33 X 3.5	MT2 MT2/3	1 OR 1 1/4	25	28	100-2800	2 OR 3	628	220
117										
118	RYOBI	3/4 X16	MT1 MT1		12	37				110
119										
120	SEARS									
121	ITEM # 00921715000	1 X 8	MT2 MT2		15	38				110
122	MFG # 21715									
123	ITEM # 00921712000	1 X 8	MT2 MT2		12	36	380-2150	1		110
124	SEARS SINGLE TUBE	3/4 X 16	MT1 MT1	7/8"	12	36				110
125										
126	SERIOUS	1 1/2 X 8	MT3 MT3	1 1/4	25	42	100-3400& 25-850	3	1580	220
127										
128	SHOP FOX									
129	W1704	3/4 X 16	MT1 MT1		8	16	700-3200	1/3 HP	45	110
130	1758	1 X 8	MT2 MT2		16	43				110
131										
132	SHOPSMITH	5/8 PLAIN	SOLID MT2	3/4"	16.5	34	700-5200	2 FREQ		110
133	LATHE	THREAD SIZE	MORSE TAPER	TOOL POST SIZE	DIA OVER BED	TANCE BETWEEN	SPEED RANGE	HORSE POWER	WEIGHT	VOLTAGE
134			HEAD STOCK TAIL STOCK			CENTERS	SLOWEST-FASTEST			

GENERAL SPECIFICATIONS OF WOODTURNING LATHES
 BY WALTER JONES E-MAIL walterjones60@gmail.com

	A	B	C	D	E	F	G	H	I	J
135										
136	SORBY RS2	25 X 2	MT2 MT2	25 MM	13	24	265-2400/ 0-3300	3/4 HP	172	110
137										
138	STUBBY									
139	S1000	M30 X 3.5	MT2 MT2		20 TO 40	20 TO 39	0-3300	3 HP	881	220
140		M33 X 3.5								
141		1 1/2 UN8								
142		1 1/2 W6								
143		1 1/4 UN8								
144	S750	M30 X 3.5	MT2 MT2		20 TO 40	20 TO 39	0-3300	2 HP	595	220
145		M33 X 3.5								
146		1 1/2 UN8								
147		1 1/5W6								
148		1 1/4UN8								
149	S500	M30 X 3.5	MT2 MT2		11 TO 22	16 TO 31	0-3300	1.5/2 HP	308	110/220
150		1 1/4 X UN8								
151	NUGGET	M30 X 3.5	MT2 MT2		14	20	0-3200	1		110/220
152		1 1/4 X UN8								
153										
154	TECHNI-TOOL									
155	NOVA DVR	1 1/4 X 8	MT2 MT2	1	16	24	150-3500	1 3/4 HP	185	110
156	NOVA 1624-44	1 1/4 X 8	MT2 MT2	1	16	24-44	218-3500	1 1/2 HP	185	110
157	NOVA 3000	1 1/4 X 8	MT2 MT2	1	16	24	215-3000	1 1/2 HP	185	110
158	NOVA 3000	1 1/4 X 8	MT2 MT2	1	16	24	215-3000	1 HP	185	110
159	NOVA COMET DISC.	1 X 8	MT2 MT2	3/4"	10	14	500-3600	1/4 HP	70	110
160	NOVA MURCURY DISC.	1 X 8	MT2 MT2	5/8"	7	12	140-5350	1/2 HP	57	110
161										
162	VB 36	2 1/2" dia bayonet	MT3 MT3		36	20 or 30		3 HP		220
163										
164	VEGA									
165	2600T	1 1/4 X 8	MT2 MT2		26	6 TO 17	0-500/0-2300 INVERT	1 1/2 AC	525	110
166							160-500/800-2300 AC	2 FREQ		220
167	1596	1 X 8	MT2 MT2		15	40?	320-3400/0-3400		450	
168	1553	1 X 8	MT2 MT2		15	40?	320-3400/0-3400		375	
169										
170	VIC MARC									
171	VL300	1 1/4 X 8	MT2 MT2	30 MM 1 3/16	24	20	30-3000	3	770	220
172	VL200	1 1/4 X 8	MT2 MT2		16	16 SHORT-39 LONG	232 TO 2800	1.5		110
173	VL175	1 1/4 X 8	MT2 MT2	30 MM 1 3/16	14	39.5	232 TO 2880	1.5	396	110
174	VL100	1 X 8	MT2 MT2	5/8"	10	14	570-3600	1/2-1-1.5		110
175	BEAVER	1 1/4 X 8	MT2 MT2		12	20		1		110